

Index of “Mechanics of Materials” by F. Beer, 6th Ed. (Beer第六版材料力学中英文索引对照)

This Chinese version of Index is translated by Changwen Mi to facilitate students in various engineering majors at Southeast University for reading the original English textbook. This file reflects part of our constant efforts in implementing bilingual teaching of a series of undergraduate and graduate mechanics courses hosted by the Department of Engineering Mechanics at Southeast University. We had made every effort to ensure the accuracy of this file for the students' sake. We, however, make no guarantee of the effects of using this file.

A

- Accuracy, numerical, 17, 44 数值精度
- Actual deformation, 95, 99 实际变形
- Allowable load and allowable stress, 4 许用荷载和许用应力
- factor of safety, 31–32, 44 安全因数
- shearing stresses, 156–158 切应力
- Allowable-stress method, 235 许用应力法
- design of columns under an eccentric load, 675–676, 685–686 偏心压杆设计
- Aluminum 铝
- design of columns under a centric load, 664–665 同轴铝制压杆的设计
- properties of, 58, 60, 129, A12–A13 铝材性质
- structural tubing, 202 管状结构
- American Forest & Paper Association, 665 美国林纸协会
- American Institute of Steel Construction, 662, 667 美国钢结构协会
- American standard beams (S-beams), 231, 388 美制标准梁 (S-梁)
- American standard channel steel (C shapes), 218, 378
- properties of, 756–757
- American standard channel steel (C shapes), properties of, A22–A23 美制标准槽钢 (C型) 材质
- American standard shape steel (S shapes), properties of, A20–A21 美制标准型钢 (S型) 材质

- American wide-flange beam (W-beam), 231, 388 美制宽翼缘梁 (W梁)
- Analysis and design of beams for bending, 314–379 弯曲梁的分析和设计
 computer problems, 378–379 编程习题
- design of prismatic beams for bending, 339–349, 370, 371–372 柱状梁的设计
 introduction, 316–319 概论
 nonprismatic beams, 361–369, 373 非柱状梁
- relations among load, shear, and bending moment, 329–339, 371 荷载、剪力和弯矩之间的关系
 review problems, 374–377 复习习题
 shear and bending-moment diagrams, 319–328, 370–371 剪力图和弯矩图
 summary, 370–373 小结
 using singularity functions to determine shear and bending moment in a beam, 350–361, 372–373 用奇异函数 (初参数方程) 求解梁中的剪力和弯矩
- Analysis and design of simple structures, 14–16 简单结构的分析和设计
 determining bearing stresses, 16 挤压应力的求解
 determining normal stress, 14–15 正应力求解
 determining shearing stress, 15–16 切应力求解
- Angle of twist, 143, 145–147, 189 扭转角
 adding algebraically, 161 代数和
 in elastic range, 159–163, 165, 211 弹性范围内的
- Angle steel 角钢
 equal legs, A24–A25 等边角钢
 properties of, A24–A27 角钢性质
 unequal legs, A26–A27 不等边角钢
- Anisotropic materials, 63, 130 各向异性材料
- Anticlastic curvature, 234, 306 鞍形曲面
- Areas. *See* Moments of areas 面积, 参见面积矩
- Average value, of stresses, 9, 42 应力均值
- Axes 轴
 centroidal, A6, A9–A10 形心轴
 of symmetry, A3 对称轴

Axial loading 轴向荷载

- bearing stress in connections, 13, 43 连接件中的挤压应力
- centric, 42 同轴荷载
- deformations under, 67–71, 101–103 拉压变形
- eccentric, 42, 284–293, 308 偏心荷载
- normal stress, 9–11, 42 正应力
- shearing stress, 11–13, 43 切应力
- slowly increasing, 694 渐增
- stress and strain distribution under, 52–139 拉压应力与应变分布
- stress and strain in, 138–139 拉压应力和应变

Axisymmetry, of circular shafts, 146, 197 圆轴的轴对称

B

Bauschinger effect, 65 鲍辛格效应

Beam deflections and slopes, 585, 720–721, 725, A28 梁的挠度和转角

Beam elements 梁

- of arbitrary curved surface, longitudinal shear on, 428 任意曲率纵向面上的剪切
- of arbitrary shape, longitudinal shear on, 399–400 任意形状梁纵向面上的剪切
- shear on the horizontal face of, 384–386, 427 梁水平面上的剪切

Beams. *See also* Analysis and design of beams for bending 梁, 参见梁的弯曲分析和设计

- of constant strength, 373 等强度梁
- nonprismatic, 318, 361–369, 373 非柱状梁
- overhanging, 554 外伸梁
- simply-supported, 554 简支梁
- statically indeterminate, 561–571, 620 超静定梁
- of variable cross section, 551 变截面梁

Bearing stresses, 4, 13, 16, 18, 43 挤压应力

- in connections, 13, 43 连接件中的挤压应力
- determination of, 16 挤压应力求解

Bearing surfaces, 13, 43 挤压面

- Bend and twist, 415, 420 弯曲与扭转
- Bending. *See also* Pure bending 弯曲, 参见纯弯曲
- analysis and design of beams for, 314–379 弯曲梁的分析与设计
 - of curved members, 294–304, 308 曲梁
 - of members made of several materials, 242–245, 306 多种材料制成的梁的弯曲问题
 - stresses due to, 419, 531, 679 弯曲应力
- Bending moment, 225, 235, 263 弯矩
- relation to shear, 330–335 弯矩与剪力的关系
- Bending-moment diagrams, 318–328, 333–335, 370–371 弯矩图
- by parts, 551, 597–604, 623 图乘叠加法求弯矩图
- Boundary conditions, 554, 564–565, 574–576, 619 边界条件
- Breaking strength, 59 断裂强度
- Brittle materials, 54, 58–61, 129 脆性材料
- under plane stress, fracture criteria for, 469–477, 505 脆性材料在平面应力状态下的断裂判
据
 - sudden failure of, 32, 151 脆性材料的突然（瞬间）失效
- Bulk modulus, 55, 96–98, 132 大块模量（体积弹性模量）
- C**
- C shapes. *See* Standard shape steel channels 槽钢, 参见标准型钢
- Cantilever beams, 554, 595, 623 悬臂梁
- and beams with symmetric loadings, 595–596, 623 对称受载梁
- Cast iron, properties of, A12–A13 铸铁性质
- Castigliano, Alberto, 735
- Castigliano's theorem, 694, 734–735, 753 卡氏定理
- deflections by, 736–739 用卡氏定理求解梁的挠曲
- Center of symmetry, 421, A3 对称中心
- Centric loading, 10, 223, 270 同轴荷载
- axial, 42 轴向
 - design of columns under, 660–674, 686 同轴受载压杆设计

Centroid, 236形心

of an area, A2–A4面积形心

of a composite area, A4–A6组合面积的形心

Centroidal axis, A6, A9–A10形心轴

Centroidal moment of inertia, 236, 400, 407, 515对形心轴惯性矩

Circular shafts 圆轴

as axisymmetric, 146, 197轴对称

deformations in, 144–148, 184–186, 210, 212变形

made of an elastoplastic material, 186–189, 212–213弹塑性材料制造

Clebsch, A., 354

Coefficients 系数

influence, 732影响系数

of thermal expansion, 82, 131热膨胀系数

Columns, 630–691压杆

computer problems, 690–691编程习题

critical load, 684临界荷载

design of under a centric load, 660–674, 686同轴荷载压杆设计

design of under an eccentric load, 675–683, 685–686偏心压杆设计

eccentric loading, 649–660, 685–686偏心荷载

effective length, 632, 685压杆等效长度

Euler's formula for pin-ended columns, 635–638, 684–685端部铰接压杆的欧拉公式

extension of Euler's formula to columns with other end conditions, 638–649欧拉公式在其它端部条件压杆中的延伸

introduction, 632概论

review problems, 687–689复习习题

the secant formula, 632, 649–660, 685–686割线公式

slenderness ratio, 685细长比, 压杆柔度

stability of structures, 632–635结构稳定性

summary, 684–686小结

Combined loadings, stresses under, 527–539, 613组合荷载产生应力

Combined stresses, 419组合应力

- Components of stress, 4, 27–30 应力分量
- Composite materials, 224 复合材料
- fiber-reinforced, stress-strain relationships for, 103–107, 134 纤维增强复合材料的应力应变本构关系
- Compression, 227 压缩
- modulus of, 97 大块模量（体积弹性模量）
- Computations, 17 计算
- errors in, 17 计算误差
- Computer problems 编程习题
- analysis and design of beams for bending, 378–379 梁的弯曲分析与设计
 - applying singularity functions to determine shear and bending moment in a beam, 355 运用奇异函数（初参数方程）求解梁的剪力和弯矩
 - axial loading, 138–139 轴向荷载
 - columns, 690–691 压杆
 - concept of stress, 49–51 应力概念
 - deflection of beams, 627–629 梁的挠曲
 - energy methods, 757–758 能量法
 - principal stresses under a given loading, 545–547 给定荷载下的主应力
 - pure bending, 312–313 纯弯曲
 - shearing stresses in beams and thin-walled members, 434–435 梁和薄壁杆件中的切应力
 - torsion, 218–219 扭转
 - transformations of stress and strain, 510–511 应力应变变换
- Concentrated loads, 316 集中荷载
- single, 720 单个
- Concentric stress, 679 同心受载压杆应力
- Concept of stress, 2–51 应力概念
- computer problems, 49–51 编程习题
- Concrete 混凝土
- maximum stress in, 249 最大应力
 - properties of, 129, A14–A15 性质

reinforced beams of, 245 加强混凝土梁
 stress-strain diagram for, 61 混凝土材料的应力应变图

Constant strength, 319, 362, 373 等强度

Constants of integration, determination of, 558 积分常数的确定

Copper, properties of, A12–A13 铜的材料性质

Coulomb, Charles Augustin de, 469–470

Coulomb's criterion, 469 哥伦布判据

Creep, 64 蠕变

Critical load, 634 临界荷载

on columns, 684 压杆临界荷载

Critical stress, 636 临界应力

Cupronickel, properties of, A14–A15 铜镍合金性质

Curvature, 232 曲率, 弯曲

anticlastic, 234, 306 鞍形面

radius of, 224, 235, 263 曲率半径

Curved members, bending of, 294–304, 308 曲杆弯曲

Cylindrical thin-walled pressure vessels, stresses in, 505 薄壁圆柱压力容器中的应力

D

Dead load, 33 (死载) 自重荷载

Deflection of beams, 70, 86–87, 548–629 梁的挠曲

applying cantilever beams and beams with symmetric loadings, 595–596, 623 悬臂梁和对称
 弯曲梁中的图乘法

applying moment-area theorems to beams with unsymmetric loadings, 605–606, 625–626 图
 乘法求解不对称受载梁的挠曲

applying superposition to statically indeterminate beams, 582–592, 621 叠加法求解超静定梁
 的挠曲

bending-moment diagrams by parts, 597–604, 623 图乘叠加法求弯矩图

boundary conditions, 619 边界条件

by Castigliano's theorem, 736–739, 753 卡氏定理求解挠曲

- computer problems, 627–629 编程问题
- direct determination of the elastic curve from the load distribution, 559–560 由荷载直接求解
挠曲线
- equation of the elastic curve, 553–558, 619 挠曲线方程
- introduction, 550–552 概论
- maximum, 607–608, 624, 694, 722, 725, A28 最大挠曲
- method of superposition, 580–582, 585–587, 621 叠加法
- moment-area theorems, 592–595, 621–622 图乘法
- review problems, 625–626 复习习题
- under a single load, 722–732 单载作用下的
- statically indeterminate beams, 561–571, 620 超静定梁
- summary, 618–624 小结
- under transverse loading, 552–553, 618 横向荷载作用下的
- using moment-area theorems with statically indeterminate beams, 609–617, 624 图乘法求解
超静定梁的挠曲
- using singularity functions to determine, 571–580, 620–621 奇异函数（初参数方程）求解
梁的挠曲
- by the work-energy method, 722–732 功能互等法求解梁的挠曲
- Deformations, 54, 86–87, 113, 167, 225, 561, 610. *See also* Elastic deformations; Plastic
deformations 变形, 参见弹性变形; 塑性变形
- actual, 95, 99 实际变形
- under axial loading, 67–71, 101–103 拉压变形
- of a beam under transverse loading, 552–553, 618 横向弯曲变形
- in a circular shaft, 144–148, 210 圆轴中的变形
- computing, 17 变形计算
- maximum, 716 最大变形
- permanent, 224 永久变形
- in a symmetric member in pure bending, 226–228 对称杆件的纯弯曲变形
- in a transverse cross section, 233–241, 306 横向截面内的变形
- Design considerations, 30–35. *See also* Analysis and design 设计考虑因素, 参加设计和分析

- allowable load and allowable stress, 31–32, 44 许用荷载和许用应力
- determination of the ultimate strength of a material, 30–31 材料强度极限的求解
- factor of safety, 44 安全因素
- for impact loads, 718–719 冲击荷载设计
- load and resistance factors, 33, 44, 341–343 荷载和抵抗因数
- for loads, 31 荷载设计
- of prismatic beams for bending, 339–349, 370–372 柱状梁的弯曲设计
- selection of an appropriate factor of safety, 31–33 合适的安全因数选择
- specifications of, 33 设计规范
- of transmission shafts, 143, 176–178, 518–527, 541 传动轴的设计
- *Design considerations, of transmission shafts, 211 传动轴的设计考虑因素
- Design of columns 压杆设计**
- allowable-stress method, 662–664, 675–676, 686 许用应力法
- aluminum, 664–665 铝
- under a centric load, 660–674, 686 同轴荷载压杆设计
- under an eccentric load, 675–683, 686 偏心荷载压杆设计
- for greatest efficiency, 643 最大效率压杆设计
- interaction method, 676–677, 686 交互法设计压杆
- with load and resistance factor design, 667–669 荷载和抵抗因数法设计压杆
- structural steel, 662–664, 667–669 钢杆设计
- wood, 665–667 木杆设计
- Deterioration, 32 损坏**（特指由于缺乏维护或由于有害工作条件而造成的逐渐损坏，如侵蚀、腐蚀）
- Determination 求解、确定**
- of the bearing stresses, 16 挤压应力
- of constants of integration, 558 积分常数
- of elastic curve, 559–560 挠曲线
- of first moment, A4–A6 一次矩、静矩
- of forces, 113, 441 力
- of the moment of inertia of a composite area, A10–A11 组合面积的惯性矩

of the normal stress, 14–15 正应力

of the shearing stress, 15–16 切应力

of the shearing stresses in a beam, 386–387, 428 弯曲梁中的切应力

of the ultimate strength of a material, 30–31, 44 材料强度极限

Deviation, tangential, 594 偏离, 切向

Diagonal stays, 52–53 斜拉索 (斜拉桥中的拉索)

Diagrams 图

free-body, 4, 17–18, 34–35, 42, 70–71 受力简图

loading, 357 荷载图

of shear, 319–328, 333–335, 342–343, 370–371 剪力图

of shear and bending-moment, 319–328, 370–371, 597–604, 623 剪力图 and 弯矩图

of stress-strain relationships, 54, 56–61, 129, 186, 716 应力应变图

Dilatation, 97, 132 体应变

bulk modulus, 96–98, 132 大块模量

Dimensionless quantities, 56 无量纲量

Discontinuity, 350 不连续

Displacement, relative, 69 相对位移

Distributed loading, 316, 613 分布荷载

Distribution of stresses 应力分布

in a narrow rectangular beam, 390–399, 428 细长矩形梁中的

over the section, 418–419 截面上的

statically indeterminate, 10 超静定

Double shear, 13 双剪

Ductile materials, 54, 58–60, 129, 151 塑性材料

under plane stress, yield criteria for, 467–469, 504 平面应力状态下的塑性材料屈服判据

E

Eccentric axial loading, 42, 224 偏心轴线荷载

general case of, 284–293, 308 一般状况下的

in a plane of symmetry, 270–278, 307 对称平面内的

- Eccentric loading, 223, 270 偏心荷载
- columns under, 649–660, 686 偏心压杆
 - design of columns under, 675–683, 686 偏心压杆设计
- Effective length, of columns, 632, 685 压杆等效长度
- Efficient design, for columns, 643 压杆有效设计
- Elastic action, 123 弹性作用
- Elastic core, radius of, 189 截面弹性核心半径
- Elastic curve 弹性挠曲线
- direct determination from the load distribution, 559–560 由荷载分布状况直接决定
 - equation of, 553–558, 563–565, 574–576, 619, A28 挠曲线方程
- Elastic deformations, 229–232, 305 弹性变形
- under axial loading, 130 轴向荷载作用下的
- Elastic flexure formula, 230, 305 弹性弯曲公式
- Elastic limit, 63–64, 130 弹性极限
- Elastic range, 229 弹性范围
- angle of twist in, 159–163, 211 弹性范围内的扭转角
 - shearing stresses within, 210 弹性范围内的切应力
- Elastic section modulus, 230, 259, 306 弹性弯曲截面系数
- Elastic strain energy 弹性应变能
- under axial loading, 699–700, 751 轴向荷载作用下的弹性应变能
 - in bending, 700–701, 751 弯曲弹性应变能
 - for normal stresses, 698 正应力产生的弹性应变能
 - for shearing stresses, 701–703, 751 切应力产生的弹性应变能
 - in torsion, 701–702, 751 扭曲产生弹性应变能
 - under transverse loading, 703 横向荷载作用下的弹性应变能
- Elastic torque 弹性扭矩
- formulas for, 149 弹性扭矩公式
 - maximum, 187, 213 最大弹性扭矩
- Elastic torsion, formulas for, 210 弹性扭转公式
- Elastic unloading, 193, 265 弹性卸载

- Elastic versus plastic behavior of a material, 64–65, 130 材料的弹性与塑性力学行为
- Elasticity, modulus of, 54, 62–64, 130 弹性模量
- Elastoplastic materials, 117, 134, 224, 256–257, 307 弹塑性材料
- circular shafts made of, 186–189, 212–213 弹塑性轴
 - members made of, 256–260 弹塑性杆
- Elementary work, 695 功
- Elongation 伸长
- maximum, 119 最大伸长
 - percent, 61 伸长百分比
- Endurance limit, 66, 130 疲劳极限应力
- Energy methods, 692–758 能量法
- Castigliano's theorem, 734–735, 753 卡氏定理
 - computer problems, 757–758 编程问题
 - deflection under a single load by the work-energy method 722–732 用功能互等求解单荷载作用下的挠曲
 - deflections by Castigliano's theorem, 736–739, 753 用卡氏定理求解挠曲
 - design for impact loads, 718–719 冲击荷载设计
 - elastic strain energy for normal stresses, 698 正应力产生的弹性应变能
 - elastic strain energy for shearing stresses, 701–703, 751 切应力产生的弹性应变能
 - equivalent static load, 752 等效静荷载
 - impact loading, 716–718, 752 冲击荷载
 - introduction, 694 概论
 - modulus of resilience, 751 回弹模量
 - modulus of toughness, 750–751 断裂韧度
 - review problems, 754–756 复习习题
 - statically indeterminate structures, 740–749, 753 超静定结构
 - strain energy, 694–696, 750 应变能
 - strain-energy density, 696–698, 750 应变能密度
 - strain energy for a general state of stress, 704–715, 752 一般应力状态下的应变能
 - summary, 750–753 小结

work and energy under a single load, 719–722, 752–753 单载作用下的功和能

work and energy under several loads, 732–734 多载作用下的功和能

Engineering strain, 62 工程应变

Engineering stress, 62 工程应力

Equal-leg angle steel, A24–A25 等边角钢

Equations

of the elastic curve, 553–558, 563–565, 574–576, 619, A28 弯曲挠曲线方程

equilibrium, 43 平衡

of statics, 152 静力学的

Equilibrium equations, 43 平衡方程

Equivalent force-couple system, at shear center, 419–406 剪力中心的等效主矢和主矩系统

Equivalent open-ended loadings, 373 等效开端荷载

Equivalent static load, 721–722, 752 等效静载

Euler, Leonhard, 636

Euler's formula, 632, 636, 654 欧拉公式

extension to columns with other end conditions, 638–649 欧拉公式在不同端部约束条件压杆中的延伸

for pin-ended columns, 635–638, 684–685 铰接端压杆的欧拉公式

Experimental materials, 93 试验材料

F

Factor of safety, 44, 707 安全因数

selection of appropriate, 31–33 选择合适的安全因数

Failure, of shaft, 185 轴的失效

Fatigue 疲劳

limit of, 67 疲劳极限

from repeated loadings, 32, 54, 66–67, 130 重复加载所致的疲劳

Fiber-reinforced composite materials, 63–64 纤维增强复合材料的应力应变本构关系

stress-strain relationships for, 103–107, 130, 133 应力应变关系

First moment, 385, A2–A6 一次矩

determination of, A4–A6一次矩求解

First moment-area theorem, 551, 593, 598–601, 606, 621–622图乘法第一定理

Flexural rigidity, 554, 596, 619弯曲刚度

Flexural stress, 230弯曲应力

Force-couple system, at shear center, equivalent, 419剪力中心的等效主矢和主矩系统

Forces 力

determination of, 113, 441求解

unknown, 43未知力

Formulas 公式

elastic flexure, 230, 305弹性弯曲

elastic torsion, 149, 210弹性扭转

Euler's, 632, 635–649, 654欧拉公式

interaction, 676–677交互

secant, 632, 649–660, 685–686割线

Fracture criteria for brittle materials under plane stress, 439, 469–477, 505脆性材料在平面应力状态下的断裂判据

maximum-normal-stress criterion, 469–470最大正应力判据

Mohr's criterion, 470–471莫尔判据

Free-body diagrams, 4, 17–18, 34–35, 42, 70–71受力简图

Fundamentals of Engineering Examination, A29–A30工程基础考试（美国注册工程师考试的一种）

G

Gages 量规

length, 57长度计

pressure, 478, 496压力计

strain, 440应变计

Gyration, radius of, A7–A9惯性半径

H

Hardening, strain, 64应变增强

Hertz (Hz), 177, 212赫兹 (频率单位)
Homogeneous materials, 93一致性材料
Hooke, Robert, 62罗伯特·胡克 (本构定律奠基人)
Hooke's law, 107, 117, 133, 148, 184, 186胡克定律
 generalized, 93–96, 100, 104, 132一般胡克定律
 modulus of elasticity, 62–64, 67, 130弹性模量
Hoop stress, 478周向应力
Horizontal shear, 385水平剪切
Horsepower (hp), 212马力
Hydrostatic pressure, 97静水压力
Hz. *See* Hertz 赫兹 (频率单位)

I

IF/THEN/ELSE statements, 355 (程序设计语言, 如FORTRAN等的条件选择语法结构)
Impact loading, 694, 716–718, 752冲击荷载
Inertia. *See* Moments of inertia 惯性, 参见惯性矩
Influence coefficients, 732影响系数
Integration 积分
 constants of, 558积分常数
 methods of, 628积分法
Interaction formula, 676–677 (压缩弯曲) 交互法公式
Interaction method, design of columns under an eccentric load, 676–677, 686偏心压杆交互设计
 法
Internal torques, 150, 163内力扭矩
Isotropic materials, 63, 93, 113, 130各向同性材料

J

Joule (J), 695焦耳 (能量单位)

K

Kinetic energy, 716动能

L

Lamina, 63薄层

Laminates, 105层状体

Lateral strain, 93, 132横向应变

Line of action, of loading, 113荷载作用线

Load and Resistance Factor Design (LRFD), 33, 44, 341–343. *See also* Allowable load and allowable stress 荷载与抵抗因数设计法, 参见许用荷载和许用应力

Load distribution, direct determination of the elastic curve from, 559–560由荷载分布直接求解梁弯曲挠曲线

Loading diagram, modified, 357修正荷载图

Loadings, *See also* Unloading 荷载, 参见卸载

axial, 9–13, 42–43, 52–139, 284–293, 308轴向荷载

centric, 10, 42, 223, 270, 660–674, 686同轴荷载

combined, 527–539, 613组合荷载

concentrated, 316集中荷载

dead, 33结构自重荷载

distributed, 316, 613分布荷载

eccentric, 223, 270–278, 284–293, 307–308, 649–660, 675–683, 686偏心荷载

general conditions of, 27–30, 44, 541一般荷载作用下

impact, 694, 716–718, 752冲击荷载

line of action of, 113荷载作用线

multiaxial, 94–96, 132多轴荷载

open-ended, 373开端荷载 (常用于分布荷载, 指一直延伸到杆件一端的分布荷载)

redundant reaction, 584, 613多余约束支反力

relation to shear, 329–330, 322 荷载与剪力关系

repeated, 66–67, 130重复荷载

statically equivalent, 114等效静载

symmetric, 595–596, 623对称荷载

torsional, 519扭转荷载

transverse, 223, 316, 552–553, 618横向荷载

ultimate, 31, 33, 667 荷载极限
 unknown, 79–80 未知力
 unsymmetric, 414–426, 429, 605–606, 625–626 不对称荷载
 visualizing, 234 荷载可视化

Longitudinal normal strain, 228 纵向正应变

Longitudinal shear

on a beam element of arbitrary curved surface, 428 任意曲面梁单元上的纵向剪切
 on a beam element of arbitrary shape, 399–400 任意形状梁单元的纵向剪切

Longitudinal stress, 478–479 纵向应力

Lower yield point, 60 屈服下极限

LRFD. *See* Load and resistance factor design 荷载和抵抗因数设计法

M

Macaulay, W.H., 354

Macaulay's brackets, 354 Macaulay 托架

Macroscopic cracks or cavities, detected in a structural component, 471 构件中的宏观裂纹或孔隙

Magnesium alloys, properties of, A14–A15 镁合金性质

Margin of safety, 31 安全裕度

Materials. *See also* Anisotropic materials: Brittle materials; Composite materials: Ductile

materials; Elastomeric 材料, 参见各向异性材料; 脆性材料; 复合材料; 塑性材料, 弹性材料

materials: Elastoplastic materials; Homogeneous 材料: 弹塑性材料; 一致性材料

materials; Isotropic materials; Orthotropic materials 材料; 各向同性材料; 正交各向异性材料

bending of members made of several, 242–245, 306 多材料组合杆件的弯曲

determining ultimate strength of, 30–31 强度极限的决定

elastic versus plastic behavior of, 64–65, 130 弹性与塑性力学行为

Materials used in engineering, A12–A15 工程实际中的材料

aluminum, A12–A13 铝

cast iron, A12–A13 铸铁

concrete, A14–A15混凝土

copper, A12–A13铜

cupronickel, A14–A15铜镍合金

magnesium alloys, A14–A15镁合金

Monel alloy 400, A14–A15蒙乃尔铜镍合金（一种镍、铜、铁、锰的合金）

plastics, A14–A15塑料

steel, A12–A13钢

timber, A14–A15木材

titanium, A14–A15钛

Matrix, 63, 104基体

Maximum absolute strain, 228最大绝对值应变

Maximum absolute stress, 229最大绝对值应力

Maximum deflection, 552–553, 607–608, 624, 694, 725, A28最大挠度

Maximum deformation, 716最大变形

Maximum-distortion-energy criterion, 439, 468–469, 694最大畸变能判据

Maximum elastic moment, 224最大弹性弯矩

Maximum elastic torque, 187, 213最大弹性扭矩

Maximum elongation, 119最大伸长

Maximum-normal-stress criterion, 440, 469–470最大正应力判据

Maximum shearing strain, 491, 494最大切应变

Maximum-shearing-stress criterion. 439, 445, 455–456, 467–469, 505最大切应力判据

Maximum stress, 716, 722, 725最大应力

Maxwell, James Clerk, 734

Maxwell's reciprocal theorem, 734麦克斯韦尔互换定理

Measurements of strain, strain rosette, 494–501, 506应变测定，应变花

Members 杆件

curved, 294–304, 308曲杆

made of an elastoplastic material, 256–260弹塑性材料杆

noncircular, 197–200, 214非圆形杆

with a single plane of symmetry, 260–261单平面对称杆件

stability of, 8压杆稳定

symmetric, 224–225对称杆

thin-walled, 414–426, 429薄壁杆

two-force, 4–6二力杆

Membrane analogy, 199–200薄膜类比

Methods 方法

of integration, 628积分法

of problem solution, 16–17, 43解题法

of statics, review of, 4–6静力学方法回顾

of superposition, 551, 580–582, 585–587, 621叠加法

Microscopic cracks or cavities, detected in a structural component, 471 构件中探测到的微观裂纹与孔隙

Minimum shearing stresses, 150, 152最小切应力

Mistakes, errors in, 17方法误差和方法错误

Modulus 模量

bulk, 55, 96–98, 132大块模量（体积弹性模量）

of compression, 97大块模量（体积弹性模量）

elastic section, 230, 259, 306弹性弯曲截面系数

of elasticity, 54, 62–64, 130弹性模量、杨氏模量

plastic section, 259塑性弯曲截面系数

of resilience, 694, 697–698, 751回弹模量

of rigidity, 55, 100, 105, 133刚度模量

of rupture, 185, 212, 256断裂模量

of toughness, 694, 697, 750–751断裂韧度

Mohr, Otto, 452, 470

Mohr's circle 莫尔圆

application to the three-dimensional analysis of stress, 464–466在三维应力状态分析中的应用

creating, 454, 457–458, 480, 493莫尔圆绘制

for plane strain, 440, 506平面应变的莫尔圆

for plane stress, 440, 452–462, 489–491, 503, 506平面应力的莫尔圆

Mohr's criterion, 440, 470–472, 505 莫尔判据

Moment-area theorems, 592–595, 610, 618, 621–622 图乘法（面矩法）

application to beams with unsymmetric loadings, 605–606, 625–626 在非对称荷载弯曲梁中的应用

using with statically indeterminate beams, 609–617, 624 在超静定结构中的应用

Moments of areas, A2–A11 面积矩

centroid of a composite area, A4–A6 复合截面的形心

centroid of an area, A2–A4 面积形心

determination of the first moment, A4–A6 一次矩求解

determination of the moment of inertia of a composite area, A10–A11 复合截面的惯性矩求解

first moment of an area, A2–A4 面积一次矩

parallel-axis theorem, A9–A10 平行轴定理

radius of gyration, A7–A9 惯性半径

second moment or moment of inertia of an area, A7–A9 面积二次矩或惯性矩

Moments of inertia, 235.. *See also* Bending moment centroidal, 223, 389, 395, 497 惯性矩，参见弯矩中心

centroidal, 236, 400, 407, 515 形心轴惯性矩

of a composite area, determining, A10–A11 复合面积惯性矩求解

polar, 165, A7 极惯性矩

Monel alloy 400, properties of, A14–A15 蒙乃尔合金性质

Multiaxial loading, 104 多轴荷载

generalized Hooke's law, 94–96, 132 一般胡克定律

N

National Council of Examiners for Engineering and Surveying. A29 国家工程和勘察测试委员会

National Design Specification for Wood Construction. 666 国家木结构设计标准

Necking, 58–59 颈化

Neutral surface, 227–229, 295, 305 中性面

Noncircular sections, 200非圆形截面

Nonprismatic beams, 318, 361–369, 373非柱状梁

beams of constant strength, 373等强度梁

Normal strains, 487正应变

under axial loading, 55–57, 129轴向荷载作用下的

longitudinal, 228纵向正应变

Normal stresses, 4, 9–11, 18, 20, 26, 42, 224, 317, 462, 528–530, 532, 694, 723–724, 751. *See also* Maximum-normal stress criterion 正应力, 参见最大正应力判据

determination of, 14–15求解

elastic strain energy for, 698弹性应变能

Numerical accuracy, 17, 44数值精度

O

Oblique parallelepipeds, 98–99斜平行六面体

Oblique plane, stresses on, 4, 44斜截面上的应力

Offset method, for determination of yield strength, 60割线法确定屈服应力

Open-ended loadings, equivalent, 373等效开端荷载

Orthotropic materials, 55, 105正交各向异性材料

Overhanging beams, 554外伸梁

P

Pa. *See* Pascals 帕斯卡 (应力单位)

Parallel-axis theorem, A9–A10平行轴定理

Parallelepipeds 平行六面体

oblique, 98–99斜平行六面体

rectangular, 94矩形六面体

Pascals (Pa), 7帕斯卡 (应力单位)

Percent elongation, a measure of ductility, 60百分比伸长率、材料的延展性指标

Percent reduction in area, a measure of ductility, 60百分比面积收缩率、材料的延展性指标

Permanent deformations, 224永久变形

Permanent set, 64, 119, 130永久的

- Permanent twist, 190–191, 193永久扭转
- Plane of symmetry, plastic deformations of members with a single, 260–261单平面对称杆件的永久变形,
- Plane strain, 109平面应变
- Plane stress, 110, 706平面应力
transformation of, 438, 486–488, 506平面应力变换
- Plastic deformations, 54–55, 64, 117–123, 130, 134, 224, 255–256, 307, 404–414, 429塑性变形
in circular shafts, 144, 184–186, 192, 212圆轴中的
of members with a single plane of symmetry, 260–261单平面对称杆件中的
modulus of rupture, 212断裂模量
- Plastic hinge, 405塑性铰链
- Plastic moment, 224, 264, 307塑性弯矩
- Plastic section modulus, 259塑性抗弯截面系数
- Plastic torque, 187, 213塑性扭矩
- Plastic versus elastic behavior of a material, 64–65, 130塑性与弹性行为
- Plastics, properties of, A14–A15塑料性质
- Poisson, Simeon Denis, 84
- Poisson's ratio, 54–55, 93–94, 101, 132, 233泊松比
- Polar moments of inertia, 165, A7极惯性矩
- Power, 176功率
- Principal stresses, 439, 463, 503主应力
in a beam, 515–517, 540梁中的
under combined loadings, 527–539组合荷载作用下的
computer problems, 545–547编程问题
design of transmission shafts, 518–527, 541传动轴的设计
under general loading conditions, 541一般受载条件下
under a given loading, 512–547给定荷载作用下的
introduction, 514概论
maximum shearing stress, 443–451, 503最大切应力
review problems, 542–544复习习题

summary, 540–541 小结

Principles and Practice of Engineering, A29 工程原理与实践

Problem solution, method of, 16–17, 43 解题方法

Professional Engineer, licensing as, A29 职业工程师执照授权

Properties 性质

of rolled-steel shapes, 520–521, A16–A27 轧钢的性质

of selected materials used in engineering, A12–A15 工程实际中部分材料的性质

Proportional limit, 62, 130 比例极限

Pure bending, 220–313 纯弯曲

computer problems, 312–313 编程问题

of curved members, 294–304, 308 曲梁

deformations in a symmetric member, 226–228 对称纯弯曲变形

deformations in a transverse cross section, 233–241, 306 横截面内的变形

eccentric axial loading in a plane of symmetry, 270–278, 307 对称平面内的偏心加载

general case of eccentric axial loading, 284–293, 308 偏心加载一般状况

introduction, 222–224 概论

members made of an elastoplastic material, 256–260 弹塑性杆件

of members made of several materials, 242–245, 306 多种材料组合杆件

plastic deformations, 255–256, 260, 307 塑性变形

residual stresses, 261–269 残余应力

review problems, 309–311 复习习题

stress concentrations, 246–254, 306 应力集中

stresses and deformations in the elastic range, 229–232, 305 弹性范围内的应力和变形

summary, 305–308 小结

symmetric member in, 224–225 纯弯曲中的对称杆件

unsymmetric, 279–283, 308 不对称弯曲

R

Radius of curvature, 224, 235, 263 曲率半径

permanent, 265–266 永久的

- Radius of gyration, A7–A9 惯性半径
- Rectangular beams, narrow, distribution of stresses in, 390–399, 428 细长矩形梁中的应力分布
- Rectangular cross section bars, torsion of, 198–199, 214 矩形截面杆的扭转
- Rectangular parallelepipeds, 94 矩形立体
- Redundant reaction loading, 584, 613 多余约束荷载
- Redundant reactions, 79 多余支反力
- Reference tangent, 595, 600–601, 605–606, 611–612, 623 参考切线
- Relative displacement, 69 相对位移
- Repeated loadings, fatigue from, 66–67, 130 重复加载引起的疲劳效应
- Residual stresses, 55, 121–123, 134, 224, 261–269 残余应力
in circular shafts, 144, 189–193, 212, 214 圆轴中的
- Resilience, modulus of, 694, 697–698, 751 回弹模量
- Resistance factor, 667.. *See also* Load and resistance factor design 抵抗因数, 参见稳定因数设计法
- Review problems 复习习题
- analysis and design of beams for bending, 374–377 弯曲梁的分析设计
 - axial loading, 135–137 轴向加载
 - columns, 687–689 压杆
 - concept of stress, 45–48 应力概念
 - deflection of beams, 625–626 梁的挠曲
 - energy methods, 754–756 能量方法
 - principal stresses under a given loading, 542–544 一定荷载作用下的主应力
 - pure bending, 309–311 纯弯曲
 - shearing stresses in beams and thin-walled members, 427–433 梁和薄壁杆件中的切应力
 - torsion, 215–217 扭曲
 - transformations of stress and strain, 507–509 应力应变变换
- Rigid-body rotation, 99 刚体转动
- Rigidity 刚度
- flexural, 554, 596, 619 弯曲刚度
 - modulus of, 55, 100, 105, 133 抗弯刚度

Rolled-steel shapes, A16–A27 轧钢

American standard channels, A22–A23 美国标准槽钢

American standard shapes, A20–A21 美国标准型钢

angles, A24–A27 角钢

wide-flange shapes, A16–A19 宽翼缘型钢 (W钢)

Rotation,

rigid-body, 99 刚体转动

speed of, 176 旋转速度

Rupture, modulus of, 185, 212, 256 断裂模量

S

Safety factor. *See* Factor of safety: Margin of safety 安全因数, 安全裕度

Saint-Venant, Adhémar Barréde, 114

Saint-Venant's principle, 113–115, 134, 147–148, 234, 284, 391, 517, 528, 552 圣维南原理

Secant formula, 632, 649–660, 685–686 割线公式

Second moment, of areas, A7–A9 截面二次矩 (惯性矩)

Second moment-area theorem, 551, 594, 598–601, 622 第二图乘定理 (图乘法)

Shafts,

axis of, 148 轴线

on failure, 185 轴的失效

statically indeterminate, 163–167, 211 超静定轴

Shape factor, 259 形状因数

Shear 剪切

double, 13 双剪切

horizontal, 385 水平剪切

relation to bending moment, 330–335 剪力与弯矩关系

relation to load, 329–330 剪力与荷载关系

single, 13, 43 单剪切

Shear center, 384, 404, 414–426, 429 剪力中心

equivalent force-couple system at, 419 等效主矢和主矩

Shear diagrams, 319–328, 333–335, 342–343, 370–371 剪力图

- Shear flow, 201, 383, 385, 403, 428剪（应）力流
- Shearing strains, 98–101, 133, 487切应变
 distribution of, 143–144, 147–148剪力分布
- Shearing stresses, 4, 11–13, 18, 29–30, 43, 317, 392–393, 418, 724. *See also* Maximum-shearing-stress criterion切应力, 参见最大切应力标准
 allowable, 156–158, 167许用切应力
 average, 18, 43, 386, 428平均切应力
 in beams, 386–389, 428梁中的
 in a circular shaft, 148–149圆轴中的
 components of, 29切应力分量
 computer problems, 434–435编程问题
 determination of, 15–16, 386–387, 428切应力求解
 within the elastic range, 210弹性范围内的切应力
 elastic strain energy for, 701–703, 751由切应力产生的弹性应变能
 in flanges, 418翼缘中的切应力
 on the horizontal face of a beam element, 384–386, 427梁水平面上的切应力
 introduction, 382–384概论
 longitudinal,
 on a beam element of arbitrary curved surface, 428任意弯曲纵向面上的切应力
 on a beam element of arbitrary shape, 399–400任意形状梁纵向面上的切应力
 minimum, 150, 152最小切应力
 in a narrow rectangular beam, 390–399, 428细长矩形梁
 plastic deformations, 404–414, 429塑性变形
 review problems, 427–433复习问题
 summary, 427–429小结
 in thin-walled members, 401–404, 429薄壁杆件
 unsymmetric loading of thin-walled members, 414–426, 429薄壁杆件的非对称受载
 in webs, 418腹板中的切应力
- Shearing stresses in beams and thin-walled members, 380–435梁和薄壁杆件中的切应力
- Simple structures, analysis and design of, 14–16简单结构的分析和设计
- Single shear, 13, 43单剪切

- Singularity functions, 318, 551 奇异函数
- application to computer programming, 355 在计算机编程中的运用
 - equivalent open-ended loadings, 373 等效开端荷载
 - step function, 372 阶跃函数
 - using to determine shear and bending moment in a beam. 350–361, 372–373 运用奇异函数法求解弯曲梁中的剪力和弯矩
 - using to determine the slope and deflection of a beam, 571–580, 620–621 运用奇异函数法求解弯曲梁中的转角和挠度
- Slenderness ratio, 637, 667, 685 细长比 (柔度)
- Slip, 64 滑移
- Speed of rotation, 176 旋转速度
- Spherical thin-walled pressure vessels, stresses in, 505 球形薄壁压力容器中的应力
- Stability of members, 8 杆件稳定性
- Stability of structures, in columns, 632–635 压杆稳定
- Standard beam (S-beam), 231, 388 标准梁
- Standard shape steel beams (S shapes), properties of, A20–A21 标准型钢 (S钢)
- properties of, A20–A21 性质
- Standard shape steel channels (C shapes), 218, 378 标准型钢 (C钢)
- properties of, A22–A23 性质
- Statically determinate problems, 317, 370, 554 静定问题
- Statically equivalent loadings, 114 等效静载
- Statically indeterminate problems, 54, 78–81, 131, 225, 317, 550–552 超静定问题
- beams, 561–571, 620 梁
 - distribution of stresses, 10 应力分布
 - to the first degree, 562, 610, 620–621 一次超静定
 - to the second degree, 562, 610, 620 二次超静定
 - shafts, 143–144, 163–167, 210–211 轴
 - superposition method, 79–81 叠加法
 - use of moment-area theorems with, 609–617, 624 图乘 (图乘) 法求解超静定问题
- Statically indeterminate structures, energy methods for, 740–749, 753 能量法求解超静定问题

Statics, 86–87静力学

equations of, 152静力学方程

review of methods, 4–6静力学方法复习

Steel. *See also* Rolled-steel shapes; Structural steel 钢, 轧钢, 结构钢

properties of, 58, 129, A12–A13钢的性质

stresses in, 63, 248–249钢杆件、结构中的应力

Step function (STP), 352, 372阶跃函数

Strain energy, 708, 716, 720, 726应变能

under axial loading, 699–700, 751轴向荷载产生的应变能

in bending, 700–701, 751弯曲应变能

and energy methods, 694–696, 750能量方法

for a general state of stress, 704–715, 752一般应力状态下的应变能

in torsion, 701–702, 751扭转应变能

under transverse loading, 703横向荷载产生的应变能

Strain-energy density, 694, 696–698, 707应变能密度

energy methods, 696–698, 750能量法

Strain gages, 440应变规 (计)

Strain hardening, 64应变增强

Strain rosette, 440, 494–501, 506应变花

Strains. *See also* Stress and strain distribution under axial loading; Stress-strain relationships:

True stress and true strain 应变, 参见拉压应力应变分布; 应力应变关系; 实际应力和实际应变

analysis of, 113应变分析

distribution of, 187应变分布

engineering, 62工程应变

lateral, 93, 132横向应变

normal, under axial loading, 55–57, 129拉压正应变

plane, 109平面应变

thermal, 82, 131热应变

three-dimensional analysis of, 491–494三维应变分析

Strength. *See also* Ultimate strength of a material 强度, 参见材料强度极限

breaking, 59断裂应力

constant, 319, 362, 373等常强度

yield, 707屈服强度

Stress and strain distribution under axial loading, 52–139拉压应力应变分布

deformations under, 67–71, 101–103, 130拉压变形

dilatation, 132体应变

elastic versus plastic behavior of a material, 64–65, 130弹性与塑性力学行为

Hooke's law, 62–64, 67, 130胡克定律

introduction, 54–55概论

modulus of rigidity, 133刚度模量

94–96, 132多轴受载

normal strain under, 55–57, 129拉压正应变

plastic deformations, 117–121, 134塑性变形

Poisson's ratio, 93–94, 101, 132泊松比

problems involving temperature changes, 82–87, 131与温差相关问题

repeated loadings, fatigue, 66–67, 130重复加载, 疲劳应力

residual stresses, 121–123, 134残余应力

review problems, 135–137复习问题

under Saint-Venant's principle, 113–115, 134基于圣维南原理的

shearing strain, 98–101, 133切应变

statically indeterminate problems, 78–81, 131超静定问题

summary, 129–134小结

true stress and true strain, 61–62实际应力和应变

Stress concentration factor, 115–116应力集中系数

Stress concentrations, 55, 134, 224, 246–254, 306应力集中

in circular shafts, 179–180, 212圆轴中的应力集中

Stress-strain relationships, 184–185. *See also* True stress and true strain 应力应变关系, 实际应力和应变

diagrams of, 54, 56–61, 129, 186, 716应力应变关系图

for fiber-reinforced composite materials, 103–107, 133纤维增强复合材料的应力应变关系
nonlinear, diagrams of, 185, 189非线性应力应变图

Stress trajectories, 517应力轨迹

Stresses. *See also* Allowable load and allowable stress; Distribution of stresses; Principal stresses;

 Shearing stresses 应力, 参见许用荷载和许用应力; 应力分布; 主应力; 切应力
analysis and design, 8分析和设计

application to the analysis and design of simple structures, 14–16简单结构的切应力分析与
设计

average value of, 9, 42平均值

bearing, 4, 13, 16, 43挤压

under combined loadings, 527–539组合荷载作用下的

computing, 17计算

concept of, 2–51概念

critical, 636临界应力

design considerations, 30–35设计考虑

determination of, 113应力求解

due to bending, 419弯曲应力

due to twisting, 419扭转应力

in the elastic range, 148–153, 210–211弹性范围内的应力

engineering, 61工程应力

flexural, 230弯曲应力

under general loading conditions, 44, 541一般荷载条件下的应力

general state of, 462–463, 504, 694一般应力状态

hoop, 478轴向应力

introduction, 4概论

longitudinal, 478–479纵向的

maximum, 716, 722, 725最大

in the members of a structure, 7构件

method of problem solution, 16–17, 43解题方法

normal, 4, 9–11, 18, 20, 26, 42, 317, 462, 528–530, 532, 694, 723–724, 751正应力

- numerical accuracy, 17, 44数值精度
- on an oblique plane under axial loading, 26–27, 44拉压杆斜截面上的应力
- plane, 110, 438, 486–488, 506, 706平面应力
- residual, 121–123, 134, 189–193, 214, 261–269残余切应力
- review of methods of statics, 4–6静力学基本方法回顾
- review problems, 45–48复习问题
- in a shaft, 144–145圆轴中的切应力
- in steel, 248–249钢材中的
- summary, 42–44小结
- in thin-walled pressure vessels, 478–485薄壁压力容器中的切应力
- uniaxial, 227单轴切应力
- Stresses and deformations in the elastic range, 229–232, 305弹性范围内的应力与变形
- elastic flexure formula, 305弹性弯曲应力公式
- Structural steel 结构钢（建筑用钢）
- allowable stress design, for columns under a centric load, 662–664同轴荷载作用下的压杆
许用应力设计法
- load and resistance factor design, for columns under a centric load, 667–669同轴荷载作用下的压杆稳定因数设计法
- Superposition 叠加
- application to statically indeterminate beams, 582–592, 621在超静定结构中的应用
- method of, 79–81, 273, 300, 422, 551, 621叠加法
- principle of, 95叠加原理
- Symmetric loadings, cantilever beams and beams with, 595–596, 623悬臂梁及对称受载梁
- Symmetric members, in pure bending of, 224–228, 305对称纯弯曲
- Symmetry 对称
- axis of, A3对称轴
- center of, 421, A3对称中心
- T**
- Tangential deviation, 594切向偏离

- Temperature changes, problems involving, 82–87, 131 涉及温度改变的问题
- Tensile test, 57 拉伸试验
- Tension, 227 拉伸
- Thermal expansion, coefficient of, 82, 131 热膨胀系数
- Thermal strain, 82, 131 热应变
- Thin-walled hollow shafts, 200–203, 214 薄壁筒
- Thin-walled pressure vessels, 440, 505 薄壁压力容器
- Three-dimensional analysis of strain, 491–494 三维应变分析
- Three-dimensional state of stress, 439 三维应力状态
- Timber, properties of, A14–A15 木材性质
- Titanium, properties of, A14–A15 钛性质
- Torques, 142.. *See also* Elastic torque; Plastic torque 扭矩, 弹性扭矩; 塑性扭矩
- internal, 150, 163 内力扭矩
 - largest permissible, 150 最大许可扭矩
 - maximum permissible, 166 最大许可扭矩
- Torsion, 140–219 扭转
- of bars of rectangular cross section, 214 矩形截面杆件的扭转
 - computer problems, 218–219 编程问题
 - introduction, 142–144 扭转概论
 - modulus of rupture in, 185 扭转变形的断裂模量
 - of noncircular members, 197–200, 214 非圆形截面杆的扭转
 - plastic deformations in circular shafts, 184–186, 212 圆轴扭转中的塑性变形
 - review problems, 215–217 复习问题
 - summary, 210–214 小结
- Torsion testing machine, 159 扭转试验机
- Torsional loading, 519 扭转加载
- Total work, 695 总功
- Toughness, modulus of, 694, 697, 750–751 韧度模量
- Transformations of stress and strain, 436–511 应力应变变换

- application of Mohr's circle to the three-dimensional analysis of stress, 464–466 莫尔圆在三
维应力分析中的应用
- computer problems, 510–511 编程问题
- fracture criteria for brittle materials under plane stress, 469–477, 505 平面应力状态下脆性材
料的断裂判据
- general state of stress, 462–463, 504 一般应力状态
- introduction, 438–440 概论
- maximum shearing stress, 443–451, 503 最大切应力
- measurements of strain, 494–501, 506 应变测量
- Mohr's circle for plane stress, 452–462, 489–491, 503, 506 平面应力状态的莫尔圆
- of plane stress, 440–442, 486–488, 502, 506 平面应力
- principal stresses, 503 主应力
- review problems, 507–509 复习问题
- stresses in thin-walled pressure vessels, 478–485 薄壁压力容器中的应力
- summary, 502–506 小结
- three-dimensional analysis of strain, 491–494 三维应变分析
- yield criteria for ductile materials under plane stress, 467–469, 504 平面应力状态下塑性材
料的屈服判据
- Transformed sections, drawing, 224 (单一材料的) 等效截面图
- Transmission shafts, 142 传动轴
- design considerations of, 211 设计考虑因素
- design of, 134 设计
- Transverse cross section, deformations in, 233–241, 306 横截面内的变形
- Transverse loading, 223, 316 横向荷载
- deformations of a beam under, 43, 552–553, 618 横向荷载作用下梁的变形
- Tresca, Henri Edouard, 468
- Tresca's hexagon, 468 特雷斯卡六边形
- True stress and true strain, 61–62 实际应力和实际应变
- Twisting. *See also* Angle of twist; Permanent twist; stresses due to, 419, 531 扭转, 参见扭转
角, 永久扭转, 扭转应力

Two-force members, 4–6 二力杆

U

Ultimate loads, 31, 33, 667 极限荷载

Ultimate strength of a material, 4, 59 材料极限强度

determination of, 30–31, 44 决定

Unequal-leg angle steel, A26–A27 不等边角钢

Uniaxial stress, 227 单轴应力

Unknown forces, 43 未知力

Unknown loads, 79–80 未知荷载

Unloading, 123 卸载

elastic, 193 弹性卸载

Unsymmetric bending, 224, 279–283, 308 不对称弯曲

Unsymmetric loadings 不对称荷载

combined stresses, 419 组合应力

distribution of stresses over the section, 418–419 截面应力分布

equivalent force-couple system at shear center, 419 剪力中心的等效主矢和主矩

shear center, 414–426, 429 剪力中心

shearing stresses in flanges, 418 翼缘中的切应力

shearing stresses in webs, 418 腹板中的切应力

stresses due to bending, 419 弯曲应力

stresses due to twisting, 419 扭转应力

of thin-walled members, 414–426 薄壁杆件

Upper yield point, 60 上屈服点

V

von Mises, Richard, 468

von Mises criterion, 468 米泽斯屈服判据

W

Watts (W), 212

Wide-flange beam (W-beam), 231, 388 宽翼缘梁

Wide-flange shaped steel (W shapes), properties of, A16–A19 宽翼缘型钢 (W钢) 性质

Winkler, E., 285

Wood. *See also* Timber 木材

design of columns under a centric load, 665–667 同轴荷载作用下的压杆设计

maximum stress in, 248 最大应力

Work 功

elementary, 695 初等的

total, 695 总功

Work and energy 功与能

principle of, 725–726 功能互等原理

under several loads, 732–734 多荷载作用下的

under a single load, 719–722, 752–753 单载作用下的

Working load, 31 许用荷载

Y

Yield criteria for ductile materials under plane stress, 439, 467–469, 504 平面应力状态下的塑性材料屈服判据

maximum-distortion-energy criterion, 468–469 最大畸变能判据

maximum-shearing-stress criterion, 467–469 最大切应力判据

Yield points, upper and lower, 60 屈服点, 上界和下界

Yield strength, 58–60, 129, 707 屈服应力

determination by offset method, 60 割线 (0.2% 应变偏移) 法确定屈服强度

Yielding, 32 屈服

Young, Thomas, 62

Young's modulus, 62 杨氏模量